



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/521,905	01/20/2005	Klaus Kock	2002P09019WOUS	7120

7590 12/31/2008
Siemens Corporation
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830

EXAMINER

MIAH, LITON

ART UNIT	PAPER NUMBER
----------	--------------

2617

MAIL DATE	DELIVERY MODE
-----------	---------------

12/31/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10521905	1/20/2005	KOCK, KLAUS	2002P09019WOUS

Siemens Corporation
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830

EXAMINER

LITON MIAH

ART UNIT	PAPER
----------	-------

2617	20081223
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This is a correction notice for the examiner's answer mailed on 11/12/2008, because there was a typographical error that need to be corrected. In section (8) Evidence Relied Upon of the examiner's answer the reference Ward has incorrect number (6,262,417). The correct patent number for reference Ward should read 6,282,417. In section (8) Evidence Relied Upon of the examiner's answer, the number for reference Ward should be 6,282,417 instead of 6,262,417.

/George Eng/
Supervisory Patent Examiner, Art Unit 2617